REFERENCES

[1] Abdullah H. AIEssa and Fayez M.S. Al-Hussien (2004), "The effect of orientation of square perforations on the heat transfer enhancement from a fin subjected to natural convection." Heat and Mass Transfer 40, 509-515.

[2] Abdullah H. AIEssa and Mohammed Q. Al-Odat (October 2009), "Enhancement of natural convection heat transfer from a fin by triangular perforations of bases parallel and toward its base."The Arbian Journal for Science and Engineering, vol 34 2B, 531-544.

[3] Abdullah H. AIEssa and Mohmmed I. Al-Widyan(2008), "Enhancement of natural convection heat transfer from a fin by triangular perforations of bases parallel and toward its tip."Applied Mathematics and Mechanics 29(8), 1033-1044.

[4] Ahmad Khoshnevis, Faramarz Talati, Maziyar Jalaal, Esmaeil Esmalzadeh (May-2009),"Heat transfer enhancement of slot and hole shape perforations in rectangular ribs of a 3-D channel,"17th Annual International Conference on Mechanical Engineering.

[5] Arularasan R. and Velraj R. (2008),"CFD analysis in a heat sink for cooling of electronic devices". International journal of the computer, the internet and management vol. 16.no.3 (september-december, pp 1-11.

[6] Avram bar-cohen and warren m. Rohsenow (June 1983), "Thermally optimum arrays of cards and fins natural Convection", IEEE Xplorer, vol. CHMT-6, no. 2, 154-158.

[7] A. G ̈uvenc, H. Yu ̈ncu ̈ (2001), "Experimental investigation on performance of rectangular fins on a horizontal base in free convection heat transfer". Heat and mass transfer 37, 409-416.

[8] B. S. Gawali, A. N. Tikkekar and N. K. Sane, "Natural convection heat transfer from horizontal Rectangular fin arrays with a cross- fin at the center," Proceeding of 1st ASME ISHMT – Conference and 12th National heat and mass transfer conference, B.A.R.C., Mumbai , paper no. HMT – 94 - ϕ46, pp343-348.

[9] Dhanawade Hanamant S., Dr. K. N. Vijaykumar, Dhanawade Kavita H., Dr. V. K. Sunnapwar (July-Dec2011), "Thermal Analysis Perforated Fin Arrays and Arrays with Cross –Fin at Center – An Overview", International Journal of Emerging Technologies and Applications In Engineering, Technology And Sciences (ISSN 0974-3588)., Volume 4, Issue 2, pp.182-187.

[10] Dhanawade Kavita H., Dr. V. K. Sunnapwar, Dhanawade Hanamant S, Dr. K. N. Vijaykumar, (2011),"Thermal Analysis of Solid and Perforated Extended Surfaces by Forced Convection –an Overview",JP Journal of Heat and Mass Transfer (ISSN 0973-5763). Volume 5, Number 2, pp.133-147.

[11] Harahap E; McManus H. N (1967),"Natural convection heat transfer from horizontal rectangular fin arrays," J. Heat Transfer, 8932-38.

[12] H. S. Dhanawade and K. H. Dhanawade (April 2005), "Natural convection heat transfer from perforated Fin arrays on horizontal surface." Proceedings of the national conference (AIM 05), Vasvi COE, Hyderabad, pp T-21 – T25.

[13] H. S. Dhanawade and K. H. Dhanawade (2009), "Analysis of natural convection heat transfer from perforated and plain Fin arrays of material Aluminum and copper." Proceedings of the

national conference (NCAME09), RGIT association with B.A.R.C. Mumbai, 173-176.

[14] H. Yu¨ncu¨, G. Anbar (1998), "Experimental investigation on performance of rectangular fins on a horizontal base in free convection heat transfer". Heat and mass transfer 33, 507-514.

[15] Jones, C. D.; Smith, L. D (1970) "Optimum arrangement of rectangular fins on horizontal surfaces for free convection heat transfer." J. Heat Transfer 92, 6-10.

[16] K. H. Dhanawade and H. S. Dhanawade (2010), "Enhancement of Forced Convection Heat Transfer from Fin Arrays with Circular Perforation" Proceedings of the international conference (FAME2010), Sattyabama University, Chennai, IEEEXplorer, pp. 192-196.

[17] M.R. Shaeri, M.Yaghoubi, K Jafarpur (2009), "Heat transfer analysis of lateral perforated fin heat sinks," Applied Energy 86 pp.2019-2029.

[18] M.R. Shaeri, M.Yaghoubi (2009), "Thermal enhancement from heat sinks by using perforated fins," Energy conversion and Management ,50, pp. 1264-1270.

[19] N.K. Sane and Sukhatme(1974), "Natural convection heat transfer from horizontal rectangular fin arrays." 5th International Heat Transfer Conference, Tokyo, paper no. NC 3.7.

[20] O.N.Sara,T.Pekdemir,S.Yapici,H.Ersahan (2000) , "Thermal performance analysis for solid and perforated blocks attached on a flat surface in duct flow," Energy Conversion and Management 41 pp.1019-1028.

[21] O.N.Sara,T.Pekdemir,S.Yapici,M.Yilmaz (2001),"Heat transfer enhancement in a channel flow with perforated rectangular blocks." International Journal of heat and fluid flow, 22, pp.509-518.

[22] Qusay R. Al-Hagag "Thermal Analysis of Convection and Radiation in Finned Heat Exchanger".www.uobabylon.edu.iq.

[23] Rodrigo Carrijo Lino, Douglas Machado Ramos, José Luiz Alves da Fontoura Rodrigues (Nov 2003), "Natural convection on vertical flat plates: a numerical and experimental study". Proceedings of COBEM 2003, 17th International congress of mechanical Engineering, COBEM2003, 0663.

[24] Rossano Comunelo, Saulo Güths (2005), "Natural convection at isothermal vertical Plate: neighbourhood influence". Proceedings of COBEM 2005, 18th International congress of mechanical Engineering, COBEM2005, Ouro Preto, MG.

[25] Sanjeev D. Suryawanshi and Narayan K. Sane(2009), "Natural Convection Heat Transfer From Horizontal Rectangular Inverted Notched Fin Arrays" ASME, J. Heat Transfer , Vol. 131, Issue 8.

[26] Saikhedkar and Sukhatme, (1980) "Heat transfer from rectangular cross sectioned vertical fin arrays." Journal of Thermal Engineering,1,125.

[27] Shuichi Torii, Wen-jei Yang (July 2004), "Thermal Transport phenomena over slot-perforated flat fins with heat sink in forced convection environment," ASME Heat Transfer/fluid Engineering Summer Conference.

[28] Starner, K. E.; McManus, H. N (1963), "An experimental investigation of free-convection heat transfer from rectangular fin arrays". J. Heat Transfer 85, 273-278.

[29] S. Sunil, J. R. N. Reddy, C. B. Sobhan (1996), "Natural convection heat transfer from a thin rectangular fin with a line source at the base- a finite difference solution" Heat and Mass Transfer 31, 127-135.

[30] S. H. Barhatte, M. R. Chopade, V. N. Kapatkar (2011), "Experimental and computational analysis and optimization for heat transfer through fins" JERS, Vol. II, Issue I, 133-138.

[31] S.S. Sane, N. K. Sane, G.V.Parishwad, (2008) "Computational Analysis Of Horizontal Rectangular Notched Fin Arrays Dissipating Heat By Natural Convection" 5th European Thermal-Sciences, Conference. Netherlands.

[32] S. V. Naidu, V. Dharma Rao, B. Govinda Rao, A. Sombabu and B. Sreenivasulu (2010), "Natural convection heat transfer from fin arrays-experimental and theoretical study on effect of inclination of base on heat transfer," ARPN Journal of Engineering and Applied Sciences, Vol.5, 7-15.

[33] Tobias Zitzmann, Malcolm Cook, Peter Pfrommer, Simon Rees, Ljiljana Marjanovic (August 2005), "simulation of steady-state natural convection using CFD, Ninth International IBPSA Conference Montréal, Canada, pp.1449-1456.

[34] Toshio Aihara, Shigenao Maruyama and Shinchi Kobayakawa (1990),"Free convective /radiative heat transfer from pin fin arrays with vertical base plate (general representation of heat transfer performance)." International Journal of Heat and Mass Transfer 33, 1223-1232.

[35] W. Elenbaas (1986), "Heat Dissipation of parallel plates by free convection," Physics 9 (1942), 1-28. Reprinted by F. Landis, Heat Transfer in Electronic Equipment, ASME HTD-Vol.57, 11-21.